

EN 934-2

DECLARATION OF PERFORMANCE

Plastiment®-LA55 No. 27903431 Translation

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE	27903431
2	INTENDED USE/ES:	EN 934-2:T2, water reducing admixtures for concrete
3	MANUFACTURER:	Sika Deutschland GmbH Kornwestheimer Straße 103-107 70439 Stuttgart GERMANY
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 2+
6a	HARMONISED STANDARD:	EN 934-2:2009+A1:2012
	Notified body/ies:	0921

Plastiment®-LA55 27903431 Translation 2018.04 , ver. 01

7 DECLARED PERFORMANCE/S:

Essential Characteristics	Performance	Harmonised Technical Specification
Chloride ion content	≤ 0.10 % by mass	
Alkali content	≤ 0,5 % by mass	-
Corrosion behavior	Contains components only from EN 934- 1:2008, Annex A.1	
Compressive strength	passed	_
Water reduction	passed	EN 934-
Air content	passed	2:2009+A1:2012
Dangerous substances	NPD	_
Increase consistency	passed	_
Maintain consistency	passed	_

8 APPROPRIATE TECHNICAL DOCUMENTATION AND / OR SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Ian Brindley


Function: General Manager

Stuttgart, July 10th 2018

Name: Henrik Trangbæk

Function: Head Concrete & Waterproofing

Stuttgart, July 10th 2018







	18			
	DoP No. 27903431			
Sika Deutsc	chland GmbH, 70439 Stuttgart			
EN	934-2:2009+A1:2012			
Notified Body 0921				
water reducing admixtures for concrete				
Chloride ion content	<u>≤</u> 0.10 % by mass			
Alkali content	<pre><_0,5 % by mass</pre>			
Corrosion behavior	Contains components only from EN 934-1:2008, Annex A.1			
Compressive strength	passed			
Water reduction	nassed			

passed NPD

passed

passed

http://dop.sika.com

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

Air content

Dangerous substances
Increase consistency

Maintain consistency

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

DECLARATION OF PERFORMANCE

Plastiment®-LA55 27903431 Translation 2018.04, ver. 01



Sika Danmark A/S

Hirsemarken 5 3520 Farum Denmark www.sika.dk

DECLARATION OF PERFORMANCE

Plastiment®-LA55 27903431 Translation 2018.04 , ver. 01

