

EN 934-2

# **DECLARATION OF PERFORMANCE**

# Sika® ViscoCrete® EVO-36 No. 29917621 Translation

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE	29917621
2	INTENDED USE/ES:	EN 934-2:T2, T3.1, T3.2 High range water reducing admixtures/superplasticizing admixture for concrete
3	MANUFACTURER:	Sika Deutschland GmbH Kornwestheimer Straße 103-107 70439 Stuttgart GERMANY
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 2+
6a	HARMONISED STANDARD:	EN 934-2:2009+A1:2012
	Notified body/ies:	0921

Sika® ViscoCrete® EVO-36 29917621 Translation 2018.04 , ver. 01

### **DECLARED PERFORMANCE/S:**

Essential Characteristics	Performance	Harmonised Technical Specification
Chloride ion content	≤ 0.10 % by mass	
Alkali content	≤ 2,0 % by mass	-
Corrosion behavior	Contains components only from EN 934- 1:2008, Annex A.1	_
Compressive strength	passed	_
Water reduction	passed	- EN 934-
Air content	passed	2:2009+A1:2012
Dangerous substances	NPD	_
Increase consistency	passed	_
Maintain consistency	passed	<del>-</del>

#### 8 APPROPRIATE TECHNICAL DOCUMENTATION AND / OR SPECIFIC TECHNICAL **DOCUMENTATION**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:


Name: Ian Brindley

Function: General Manager

Stuttgart, July 10th 2018

Name: Henrik Trangbæk

Function: Head Concrete & Waterproofing Stuttgart, July 10<sup>th</sup> 2018







19

Dop No	29917621

#### Sika Deutschland GmbH, 70439 Stuttgart

#### EN 934-2:2009+A1:2012

#### Notified Body 0921

# High range water reducing admixtures/superplasticizing admixture for concrete

Chloride ion content≤ 0.10 % by massAlkali content≤ 2,0 % by massCorrosion behaviorContains components only from EN 934-1:2008, Annex A.1Compressive strengthpassedWater reductionpassedAir contentpassedDangerous substancesNPDIncrease consistencypassedMaintain consistencypassed	
Corrosion behavior  Compressive strength  Water reduction  Air content  Dangerous substances  Increase consistency  Contains components only from EN 934-1:2008, Annex A.1  passed  passed  passed  NPD  passed	<u>≤</u> 0.10 % by mass
Corrosion benavior Annex A.1  Compressive strength passed Water reduction Air content passed  Dangerous substances Increase consistency  Annex A.1  passed passed passed  NPD passed	≤ 2,0 % by mass
Water reduction passed Air content passed Dangerous substances NPD Increase consistency passed	•
Air content passed  Dangerous substances NPD Increase consistency passed	passed
Dangerous substances  Increase consistency  passed	passed
Increase consistency passed	passed
	NPD
Maintain consistency passed	passed
	passed
	<del>-</del>

http://dop.sika.com

# **ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)**

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

# **LEGAL NOTE**

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

**DECLARATION OF PERFORMANCE** 

Sika® ViscoCrete® EVO-36 29917621 Translation 2018.04 , ver. 01



# Sika Danmark A/S

Hirsemarken 5 3520 Farum Denmark www.sika.dk

# **DECLARATION OF PERFORMANCE**

Sika® ViscoCrete® EVO-36 29917621 Translation 2018.04 , ver. 01

