

# Sika MonoTop<sup>®</sup>-4012 BE

## DECLARATION OF PERFORMANCE No. BE0133/03

1	<b>UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:</b>	BE0133/01
2	<b>INTENDED USE/S</b>	Structural and nonstructural repair products for concrete for use in buildings and civil engineering works
3	<b>MANUFACTURER:</b>	Sika Services AG Tüffenwies 16-22 8064 Zürich
4	<b>AUTHORISED REPRESENTATIVE:</b>	
5	<b>SYSTEM/S OF AVCP:</b>	System 2+ System 4 for reaction to fire
6a	<b>HARMONISED STANDARD:</b>	EN 1504-3:2005
	Notified body/ies:	0749

### Declaration of Performance

Sika MonoTop<sup>®</sup>-4012 BE

BE0133/01

2025.05 , ver. 1

1707

**7 DECLARED PERFORMANCE/S**

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Compressive strength	R4	System 2+	EN 1504-3:2005
Chloride ion content	≤ 0,05 %	System 2+	
Adhesion	≥ 2,0 MPa	System 2+	
Carbonation Resistance	Pass	System 2+	
Elastic Modulus	≥ 20 GPa	System 2+	
Thermal compatibility freeze-thaw	≥ 2,0 MPa	System 2+	
Skid Resistance	NPD	System 2+	
Capillary Absorption	≤ 0,5 kg·m <sup>-2</sup> h <sup>-0,5</sup>	System 2+	
Reaction to fire	A1	System 4	
Dangerous substances	Comply with 5.4 (EN 1504-3)	System 2+	


**8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Glenn Puystjens  
 Function: Team Lead Technical Service  
 At Nazareth on 13 May 2025

Name : Paul Magera  
 Function: General Manager  
 At Nazareth on 13 May 2025

End of information as required by Regulation (EU) No 305/2011

**Declaration of Performance**

Sika MonoTop®-4012 BE  
 BE0133/01  
 2025.05 , ver. 1  
 1707





25

Sika Services AG, Zurich, Switzerland

BE0133/01

EN 1504-3:2005

Notified Body 0749

Cement based mortar (CC)  
for structural repair of concrete structures  
EN 1504-3 Methods 3.1 / 3.2 / 3.3 / 4.4 / 7.1 / 7.2

Compressive strength	R4
Chloride ion content	≤ 0,05 %
Adhesive Bond	≥ 2,0 MPa
Carbonation Resistance	Pass
Elastic Modulus	≥ 20 GPa
Thermal compatibility freeze-thaw	≥ 2,0 MPa
Capillary Absorption	≤ 0,5 kg·m <sup>-2</sup> h <sup>-0,5</sup>
Reaction to fire	A1
Dangerous substances	Comply with 5.4 (EN 1504-3)

<http://dop.sika.com>

## ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

## LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

### Declaration of Performance

Sika MonoTop®-4012 BE

BE0133/01

2025.05 , ver. 1

1707

3/4

BUILDING TRUST



**Sika Services AG**  
Tüffenwies 16-22  
8064 Zürich  
Switzerland  
[www.sika.com](http://www.sika.com)

**Declaration of Performance**  
Sika MonoTop®-4012 BE  
BE0133/01  
2025.05 , ver. 1  
1707

**4/4**

**BUILDING TRUST**

