

## PRODUCT DATA SHEET

# Sika® Membrane slitter

Tool to cut strips from Sika® polymeric roof waterproofing membranes

## DESCRIPTION

Sika® Membrane slitter is a galvanized steel and aluminium tool for cutting strips from Sika® polymeric roof waterproofing membranes. Cuts membrane sheets up to 2,5 mm thickness and 2,0 m wide.


## USES

Sika® Membrane slitter may only be used by experienced professionals.

- Cuts membrane strips on job site

## CHARACTERISTICS / ADVANTAGES

- Simple design allows easy and safe use
- Cuts custom-fit membrane strips on job site
- Cuts the strip to the required width around parapet perimeters
- Special protector device prevents damage to existing applied membranes
- Tool can be used in horizontal or upright position



## PRODUCT INFORMATION

**Composition** Galvanized steel, aluminium

**Packaging** The product is packed in a box with the following parts:  
1. Membrane slitter with knife (includes 10 spare blades)  
2. Standard guard rail (10 cm length)  
3. Standard guard rail (55 cm length)  
4. Handle (118 cm length)  
5. Instruction leaflet



**Shelf life** 5 years from date of production.

**Storage conditions** The products must be stored in original, unopened and undamaged sealed packaging in dry conditions at temperatures between +5 °C and +30 °C. Always refer to packaging.

**Unit weight** 2,6 kg

## APPLICATION INFORMATION

**Ambient air temperature** -20 °C min. / +60 °C max.

**Substrate temperature** -30 °C min. / +60 °C max.

## APPLICATION INSTRUCTIONS

### APPLICATION

Sika® Membrane slitter cuts all types of Sarnafil® / Sikaplan® polymeric membranes with thickness's up to 2,5 mm and 2,0 m wide. Membrane can be cut to any required strip width.

Reference must be made to the instruction leaflet.

### IMPORTANT CONSIDERATIONS

Installation work and use of the tool must only be carried out by Sika® trained and approved contractors, experienced in this type of application.

## BASIS OF PRODUCT DATA

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

## LOCAL RESTRICTIONS

Please note that as a result of specific local regulations the declared data for this product may vary from country to country. Please consult the local Product Data Sheet for the exact product data.

## ECOLOGY, HEALTH AND SAFETY

Fresh air ventilation must be ensured, when working (welding) in closed rooms.

### REGULATION (EC) NO 1907/2006 - REACH

This product is an article as defined in article 3 of regulation (EC) No 1907/2006 (REACH). It contains no substances which are intended to be released from the article under normal or reasonably foreseeable conditions of use. A safety data sheet following article 31 of the same regulation is not needed to bring the product to the market, to transport or to use it. For safe use follow the instructions given in this product data sheet. Based on our current knowledge, this product does not contain SVHC (substances of very high concern) as listed in Annex XIV of the REACH regulation or on the candidate list published by the European Chemicals Agency in concentrations above 0.1 % (w/w)

## LEGAL NOTES

Any information or suggestions for use concerning Sika's products, which we either in writing or orally have given buyers or end-users of the product, have been given in good faith based on our own experiences and based on approved praxis and the technological and scientific knowledge on the time of giving such suggestions and information, which are given without any type of guarantees, and which do not lead to any further responsibility from Sika Danmark A/S, besides what is stated in the sales agreement in question. The buyer or end-user should themselves investigate or otherwise make sure, that our products are suitable for the use in question and further make sure that the products are kept and used correct and in agreement with the published rules and considering the actual conditions in order to avoid damages or less satisfactory results. Any order is accepted and any deliverance is affected according to the general terms of sales and delivery from Sika Danmark A/S, which are considered known and accepted, and which could be handed out when asked for. Our catalogues are not up-dated automatically. The present product data sheet is only for use in Denmark. Values stated in the present product data sheet should be seen as recommended, unless stated otherwise.

**Sika Danmark A/S**  
Hirsemarken 5  
3520 Farum  
Tlf. +45 48 18 85 85  
[www.sika.dk](http://www.sika.dk)



**PRODUCT DATA SHEET**  
**Sika® Membrane slitter**  
October 2020, Version 01.01  
02094509110000007

SikaMembraneslitter-en-DK-(10-2020)-1-1.pdf