



EN 15824: 2009

12

0402

## DECLARATION OF PERFORMANCE

### Sika® Filler-105

02 03 04 02 001 0 000017 1084

**1. Product Type:**

Unique identification code of the product-type:

**Sika® Filler**

**2. Type** batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

**-105**

Batch Number (refer to packaging)

**3. Intended use** or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Wide spreading of internal surfaces in accordance with:

EN 15824 "Specifications for external and internal plasters based on organic binders"

**4. Name, registered trade name** or registered trade mark and contact address of the manufacturer as required under Article 11(5):

**Sika® Filler**

Sika Services AG  
Tüffenwies 16  
8048 Zürich  
Switzerland

Factory 1084

**5. Contact Address:**

Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2):

Not relevant (see 4)

**6. AVCP:**

System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:

**System 3**

**7. Notified body:**

In case of the declaration of performance concerning a construction product covered by a harmonised standard:

**0402**

*EN 15824*

Sveriges Tekniska Forskningsinstitut AB (0402) has issued the following reports where reaction to fire tests according to System 3 has been evaluated:

SP Report PX05926 - "Fire test according to EN13823, 2002 (SBI Method) and ignitability according to EN ISO 11925-2".

SP Report PX05926A - "Reaction to fire classification report"

SP Report PX18221 rev2 - "Fire test according to EN13823, 2002 (SBI Method) and ignitability according to EN ISO 11925-2".

SP Report PX18221-1 rev1 -"Reaction to fire classification report"

Declaration of Performance



**8. Notified body:**

**Not relevant** (see 7)

In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

**9. Declared performances:**

Essential characteristics	Performance	Test Standard	Harmonised technical specification
Adhesion:	> 0.3 MPa	EN 1542	EN 15824: 2009
Reaction to fire class:	B-S1, d0	EN 13501-1	

Signed for and on behalf of the manufacturer by:

Michel Donadio  
 Corporate Product Engineer

Thierry Berset  
 CMFM Refurbishment

Pfäffikon, 09 July 2013

**Ecology, Health and Safety Information (REACH)**

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

**Legal note:**

"Any information or suggestions for use concerning Sika's products, which we either in writing or orally have given buyers or end-users of the product have been given in good faith based on our own experiences and based of approved praxis and the technological and scientific knowledge on the time of giving such suggestions and information, which are given without any type of guarantees, and which do not lead to any further responsibility from Sika Danmark A/S, besides what is stated in the sales agreement in question. The buyer or end-user should themselves investigate or otherwise make sure that our products are suitable for the use in question and further make sure that the products are kept and used correct and in agreement with the published rules and considering the actual conditions in order to avoid damages or less satisfactory results. Any order is accepted and any deliverance is effected according to the general terms of sales and delivery from Sika Danmark A/S, which are considered known and accepted, and which could be handed out when asked for. Our catalogues are not up-dated automatically. The present product data sheet is only for use in Denmark. Values stated in the present product data sheet should be seen as recommended, unless stated otherwise."

