

BUILDING TRUST

PRODUCT DATA SHEET Sika[®] Betonlöser

Concrete stain remover for cleaning and maintenance of machines and tools

DESCRIPTION

Sika[®] Betonlöser is a strong acidic solution for dissolving and removing cement/concrete stains and crusts.

USES

- For the removal of cement, mortar and concrete residues
- Cleaning of mixing and transport equipment

CHARACTERISTICS / ADVANTAGES

- Quick dissolving of cement and concrete crusts
- Penetration of the active substances under the crusts
- Destruction of the crust binding on the substrate
- No attack on rubber parts
- Temporary corrosion protection on steel
- Prevention of new crust formation

PRODUCT INFORMATION

Composition	Phosphoric acid with additives
Packaging	30 kg
Shelf life	24 months from date of production
Storage conditions	Store in originally sealed, undamaged packages in cool and dry conditions. Protect from direct sunlight and frost.
Appearance and colour	Yellow-green liquid
Density	~ 1,3 kg/Liter (±0,05 kg/Liter) at +20°C

APPLICATION INFORMATION

BASIS OF PRODUCT DATA

All technical data stated in this Product Data Sheet are based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

IMPORTANT CONSIDERATIONS

 Sika[®] Betonlöser is a concentrated, strong mineral acid. Avoid contact with skin and eyes and keep product away from children!

ECOLOGY, HEALTH AND SAFETY

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety-related data.

PRODUCT DATA SHEET Sika® Betonlöser October 2022, Version 02.01 021405121000000001

APPLICATION INSTRUCTIONS

Sika[®] Betonlöser is used concentrated or diluted with water in a ratio of 1:1 to 1:5, depending on the degree of soiling.

The diluted or undiluted product is sprayed onto the surface. For heavy soiling a multiple treatment may be required. Then rinse well with water, especially if used in concrete mixers (may cause change in air pore content in concrete mixes).

LOCAL RESTRICTIONS

Please note that as a result of specific local regulations the declared data for this product may vary from country to country. Please consult the local Product Data Sheet for the exact product data.

LEGAL NOTES

Any information or suggestions for use concerning Sika's products, which we either in writing or orally have given buyers or end-users of the product, have been given in good faith based on our own experiences and based on approved praxis and the technological and scientific knowledge on the time of giving such suggestions and information, which are given without any type of guarantees, and which do not lead to any further responsibility from Sika Danmark A/S, besides what is stated in the sales agreement in question. The buyer or end-user should themselves investigate or otherwise make sure, that our products are suitable for the use in guestion and further make sure that the products are kept and used correct and in agreement with the published rules and considering the actual conditions in order to avoid damages or less satisfactory results. Any order is accepted and any deliverance is affected according to the general terms of sales and delivery from Sika Danmark A/S, which are considered known and accepted, and which could be handed out when asked for. Our catalogues are not up-dated automatically. The present product data sheet is only for use in Denmark. Values stated in the present product data sheet should be seen as recommended. unless stated otherwise.

Sika Danmark A/S Hirsemarken 5 3520 Farum Tlf. +45 48 18 85 85 www.sika.dk



 PRODUCT DATA SHEET

 Sika® Betonlöser

 October 2022, Version 02.01

 021405121000000001

SikaBetonlser-en-DK-(10-2022)-2-1.pdf



BUILDING TRUST