

---

# Sika<sup>®</sup>-1

---

## DECLARATION OF PERFORMANCE 21127717

---

1	<b>UNIQUE IDENTIFICATION CODE OF PRODUCT TYPE:</b>	21127717
2	<b>INTENDED USE/S</b>	Water resisting admixtures (at equal consistence or equal w/c ratio)
3	<b>MANUFACTURER:</b>	Sika Österreich GmbH Bingser Dorfstraße 23 A-6700 Bludenz
4	<b>AUTHORIZED REPRESENTATIVE:</b>	
5	<b>SYSTEM/S OF AVCP:</b>	System 2+
6a	<b>HARMONISED STANDARD:</b>	EN 934-2:2009 +A1:2012
	Notified body/ies:	1139

### LEISTUNGSERKLÄRUNG

Sika<sup>®</sup>-1  
21127717  
2022.01 , Version 01  
1029

**7 DECLARED PERFORMANCE/S:**


Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Chloride ion content	≤ 0.10 %	System 2+	EN 934-2:2009 +A1:2012
Alkali content	≤ 1.00 %	System 2+	
Corrosion behaviour	Contains components only from EN 934-1:2008, Annex A1	System 2+	
Compressive strength	Pass	System 2+	
Air content	Pass	System 2+	
Capillary absorption	Pass	System 2+	
Dangerous substances	See local safety data sheet		

**8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR – SPECIFIC TECHNICAL DOCUMENTATION**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 302/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Anders Beier  
Function: General Manager  
At Farum on 26 September 2022



Name: Henrik Trangbæk  
Function: Head Concrete & Waterproofing  
At Farum on 26 September 2022



.....  
End of information as required by Regulation (EU) No. 305/2011

**DECLARATION OF PERFORMANCE**

Sika®-1  
21127717  
2022.01 , Version 01  
1029





22

Sika Österreich GmbH, Bingser Dorfstraße 23, A-6700 Bludenz

21127717

EN 934-2:2009 +A1:2012

Notified bodie/s 1139

Water resisting admixtures (at equal consistence or equal w/c ratio)

Chloride ion content	≤ 0.10 %
Alkali content	≤ 1.00 %
Corrosion behaviour	Contains components only from EN 934-1:2008, Annex A1
Compressive strength	Pass
Air content	Pass
Capillary absorption	Pass
Dangerous substances	See local safety data sheet

[dop.sika.com](http://dop.sika.com)

## ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data, copies of which can be found under [www.sika.at](http://www.sika.at).

## LEGAL NOTE

Any information or suggestions for use concerning Sika's products, which we either in writing or orally have given buyers or end-users of the product have been given in good faith based on our own experiences and based of approved praxis and the technological and scientific knowledge on the time of giving such suggestions and information, which are given without any type of guarantees, and which do not lead to any further responsibility from Sika Danmark A/S, besides what is stated in the sales agreement in question. The buyer or end-user should themselves investigate or otherwise make sure that our products are suitable for the use in question and further make sure that the products are kept and used correct and in agreement with the published rules and considering the actual conditions in order to avoid damages or less satisfactory results. Any order is accepted and any deliverance is effected according to the general terms of sales and delivery from Sika Danmark A/S, which are considered known and accepted, and which could be handed out when asked for. Our catalogues are not up-dated automatically. The present product data sheet is only for use in Denmark. Values stated in the present product data sheet should be seen as recommended, unless stated otherwise.

## DECLARATION OF PERFORMANCE

Sika®-1  
21127717  
2022.01 , Version 01  
1029

**SIKA DANMARK A/S**  
Hirsemarken 5  
DK-3520 Farum  
Denmark

**DECLARATION OF PERFORMANCE**

Sika®-1  
21127717  
2022.01 , Version 01  
1029

**4/4**

**BUILDING TRUST**

