

---

# Sika® AirPRO (SE) 5%

---

## DECLARATION OF PERFORMANCE

### No. 20198059

---

1	<b>UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:</b>	20198059
2	<b>INTENDED USE/S</b>	EN 934-2:2009 T5 High range water reducing/superplasticizing admixture
3	<b>MANUFACTURER:</b>	Sika Sverige AB Domnarvsgatan 15 163 53 Spånga
4	<b>AUTHORISED REPRESENTATIVE:</b>	
5	<b>SYSTEM/S OF AVCP:</b>	System 2+
6a	<b>HARMONISED STANDARD:</b>	EN 934-2:2009 T5
	Notified body/ies:	2719

#### Declaration of Performance

Sika® AirPRO (SE) 5%

20198059

2019.10, ver. 1

1082

**7 DECLARED PERFORMANCE/S**

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Chloride ion content	< 0,10 % by wt.	System 2+	EN 934-2:2009 T5
Alkali content	< 0,9 % by wt.	System 2+	
Corrosion behavior	Contains only substances according to EN 934-1:2008, Annex A.1	System 2+	
Compressive strength	Fulfills	System 2+	
Air content	Fulfills	System 2+	
Air void characteristic	Fulfills	System 2+	
Dangerous substances	NPD		

**8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Anders Beier  
 Function: General Manager  
 Farum on 11 November 2019

Name : Henrik Trangbæk  
 Function: Head Concrete and Waterproofing  
 Farum on 11 November 2019

.....

.....

End of information as required by Regulation (EU) No 305/2011


**Declaration of Performance**

Sika®AirPRO (SE) 5%  
 20198059  
 2019.10 , ver. 1  
 1082



## RELATED DECLARATION OF PERFORMANCE

Product Name	Harmonised technical specification	DoP Number
Sika®AirPRO (SE) 5% Sika® AirPRO (SE) 5%	EN 934-2:2009 +A1:2012	011403021000000164

 13	
Sika Sverige AB, Spånga, Sweden	
DoP No. 20198059	
EN 934-2:2009 T5	
Notified Body 2719	
High range water reducing/superplasticizing admixture	
Chloride ion content	< 0,10 % by wt.
Alkali content	< 0,9 % by wt.
Corrosion behavior	Contains only substances according to EN 934-1:2008, Annex A.1
Compressive strength	Fulfills
Air content	Fulfills
Air void characteristic	Fulfills
Dangerous substances	NPD
<a href="http://dop.sika.com">http://dop.sika.com</a>	

### ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

#### Declaration of Performance

Sika®AirPRO (SE) 5%  
20198059  
2019.10 , ver. 1  
1082

---

## LEGAL NOTE

Any information or suggestions for use concerning Sika's products, which we either in writing or orally have given buyers or end-users of the product have been given in good faith based on our own experiences and based of approved praxis and the technological and scientific knowledge on the time of giving such suggestions and information, which are given without any type of guarantees, and which do not lead to any further responsibility from Sika Danmark A/S, besides what is stated in the sales agreement in question. The buyer or end-user should themselves investigate or otherwise make sure that our products are suitable for the use in question and further make sure that the products are kept and used correct and in agreement with the published rules and considering the actual conditions in order to avoid damages or less satisfactory results. Any order is accepted and any deliverance is affected according to the general terms of sales and delivery from Sika Danmark A/S, which are considered known and accepted, and which could be handed out when asked for. Our catalogues are not up-dated automatically. The present product data sheet is only for use in Denmark. Values stated in the present product data sheet should be seen as recommended, unless stated otherwise.

---

**Sika Danmark A/S**  
Hirsemarken 5  
3520 Farum  
Denmark  
[www.sika.dk](http://www.sika.dk)

### Declaration of Performance

Sika®AirPRO (SE) 5%  
20198059  
2019.10 , ver. 1  
1082