

Sika[®] ViscoCrete[®] EVO-49

DECLARATION OF PERFORMANCE

Nr. 64807197

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	64807197
2	INTENDED USE/S	EN 934-2:2009+A1:2012 Plastisizer and superplastisizer for the production of concrete (Tab. T2, T3.1, T3.2)
3	MANUFACTURER:	Sika Services AG Tüffenwies 16-22 8064 Zürich
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 2+
6a	HARMONISED STANDARD:	EN 934-2:2009+A1:2012
	Notified body/ies:	0921

Declaration of Performance

Sika[®] ViscoCrete[®] EVO-49
64807197
2021.06, ver. 01
1013

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance		Harmonised Technical Specification
Chloride ion content	≤ 0,10 Mass-%		
Alkali content	≤ 0,50 Mass-%		
Corrosion behavior	Contains components only from EN 934-1:2008, Anhang A1		
Air content	Passed	T2/T3.1/T3.2	
Compressive strength	Passed	T2/T3.1/T3.2	EN 934-2: 2009+A1:2012
Water reduction	Passed	T2/T3.1	
Increase of consistence	Passed	T3.2	
Retention of consistence	Passed	T3.2	
Dangerous substances	NPD		

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Anders Beier
 Function: General Manager
 At Farum on 14 June 2021

Name: Henrik Trangbæk
 Function: Head Concrete & Waterproofing
 At Farum on 14 June 2021

End of information as required by Regulation (EU) No 305/2011

Declaration of Performance

Sika® ViscoCrete® EVO-49
 64807197
 2021.06, ver. 01
 1013





21

Sika Services AG, Zurich, Switzerland

DoP No. 64807197

EN 934-2:2009+A1:2012

Notified Body 0921

Plastisizer and superplastisizer for concrete

Chloride ion content	≤ 0,10 Mass-%	
Alkali content	≤ 0,50 Mass-%	
Corrosion behavior	Contains components only from EN 934-1:2008, Anhang A1	
Air content	Passed	T2/T3.1/T3.2
Compressive strength	Passed	T2/T3.1/T3.2
Water reduction	Passed	T2/T3.1
Increase of consistence	Passed	T3.2
Retention of consistence	Passed	T3.2
Dangerous substances	NPD	

<http://dop.sika.com>**ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)**

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

Any information or suggestions for use concerning Sika's products, which we either in writing or orally have given buyers or end-users of the product have been given in good faith based on our own experiences and based of approved praxis and the technological and scientific knowledge on the time of giving such suggestions and information, which are given without any type of guarantees, and which do not lead to any further responsibility from Sika Danmark A/S, besides what is stated in the sales agreement in question. The buyer or end-user should themselves investigate or otherwise make sure that our products are suitable for the use in question and further make sure that the products are kept and used correct and in agreement with the published rules and considering the actual conditions in order to avoid damages or less satisfactory results. Any order is accepted and any deliverance is effected according to the general terms of sales and delivery from Sika Danmark A/S, which are considered known and accepted, and which could be handed out when asked for. Our catalogues are not up-dated automatically. The present product data sheet is only for use in Denmark. Values stated in the present product data sheet should be seen as recommended, unless stated otherwise.

Declaration of Performance

Sika® ViscoCrete® EVO-49
64807197
2021.06, ver. 01
1013

3/4

BUILDING TRUST

Sika Danmark A/S
Hirsemarken 5
DK-3520 Farum
Denmark
www.sika.dk

Declaration of Performance

Sika® ViscoCrete® EVO-49
64807197
2021.06, ver. 01
1013

4/4

BUILDING TRUST

